

The Adams Rite 4710 heavy duty Deadlatch offers flexible traffic control and a good level of security.

When used in emergency exit applications with a 4591 Paddle Handle the E8461 ramped jaw strike must be fitted to conform with BS EN179:2008



Key Benefits

- The Auxiliary bolt feature deadlocks the latch when the door is closed against the strike.
- Operates using mortice cylinder, thumbturn (both with MS® cam) or range of Adams Rite furniture.
- Can be used in conjunction with 7100 series Electric Strikes to provide remote access control.
- Designed for use on aluminium doors.
- The latch is interchangeable without stile modification with the MS® 1850S Deadlock.
- Latchbolt reversible and supplied non handed unless specified.
- Maximum operational door gap is 5mm.
- Independently tested to 1 million cycles.
- 3 year guarantee


Related Hardware

Round Cylinders ~ MS®4043 Cylinder Guard

Round Thumbturns ~ 4565 Thumbturn ~ 4568 Lever Handle

4591 Paddle Handle ~ E8461 Ramp Jaw Strikes ~ 7100/7400 Series Electric Strikes

Specification



| | |
|--------------------|---|
| Overall Case Size: | 173mm x 25mm x 38.3mm - 22.2mm Backset (7/8") 173mm x 25mm x 40.6mm - 24.6mm Backset (31/32") 173mm x 25mm x 44.7mm - 28.6mm Backset (1 1/8") 173mm x 25mm x 54.4mm - 38.1mm Backset (1 1/2"). |
| Case: | Steel with corrosion-resistant plating. |
| Backset: | 22.2mm, 24.6mm, 28.6mm, 38.1mm. |
| Latch Bolt: | 25.4mm x 12.7mm. ZA-27 Zinc, Chrome Plated, Hardened Steel Internal Pins, plus Anti-Pick baffle. |
| Latch Throw: | 12.7mm.. |
| Cylinder: | Any standard 29.4mm (1 5/32") Mortice Cylinder or Thumbturn with MS® cam. |
| Operation: | Turn key/thumbturn or handle to retract latch bolt. |
| Door Gap: | 3 - 5mm. |
| Forend: | Steel, with aluminium faceplate.. |

Ordering Information

| | |
|------------|--|
| 4710-100-5 | Lock Bodies - Deadlatch 22.2mm (7/8") Backset LH |
| 4710-100-6 | Lock Bodies - Deadlatch 22.2mm (7/8") Backset RH |
| 4710-200-5 | Lock Bodies - Deadlatch 24.6mm (31/32") Backset LH |
| 4710-200-6 | Lock Bodies - Deadlatch 24.6mm (31/32") Backset RH |
| 4710-300-5 | Lock Bodies - Deadlatch 28.6mm (1 1/8") Backset LH |
| 4710-300-6 | Lock Bodies - Deadlatch 28.6mm (1 1/8") Backset RH |
| 4710-400-5 | Lock Bodies - Deadlatch 38.1mm (1 1/2") Backset LH |
| 4710-400-6 | Lock Bodies - Deadlatch 38.1mm (1 1/2") Backset RH |

4700 Faceplates

| | |
|-----------------|--------------------------------------|
| 24-4700-000-628 | 4700 SERIES FACEPLATE FLAT SAA |
| 24-4700-100-628 | 4700 SERIES FACEPLATE RADIUS SAA |
| 24-4700-200-628 | 4700 SERIES FACEPLATE LH BEVEL SAA |
| 24-4700-300-628 | 4700 SERIES FACEPLATE RH BEVEL SAA |
| 24-4700-400-628 | 4700 SERIES FACEPLATE RADIUS W/S SAA |

Lock Mounting Accessories

| | |
|------------|-------------------------------------|
| 26-0009-42 | TUBE SPACER FOR USE WITH SWING DOOR |
| 26-0009-55 | TUBE SPACER FOR USE WITH SWING DOOR |
| 26-0185-22 | 1 3/8 INCH POSTS IN PAIRS |
| 4075 | 4075 MOUNTING TOOL |
| 4436 | LOCK MOUNTING TAB KIT |